#### **HAMILTON COUNTY ON-SITE PROGRAM**

APPLICATION REQUIREMENTS FOR ON-SITE SEWAGE FACILITY PERMITS (Commercial, multi-unit residential developments)

FEE: \$300.00

	Obtain an application from the Hamilton County Clerk's office
	A licensed site evaluator must conduct a complete site evaluation. A detailed report documenting the results of the soil and site conditions must be submitted.
	Have planning materials prepared by the required individual. Standard systems may be prepared by the owner or the installer. Non-standard and proprietary systems must be prepared by a professional engineer or a professional sanitarian.
	Submit completed application and technical information sheet. Remit the appropriate
	fee and a copy of the following: site evaluation results, all planning materials, a recorded affidavit (if required), a signed maintenance contract (if required). <b>Directions</b> to the site should also be included.
<u> </u>	The application and planning materials will be reviewed by Hamilton County staff. Non standard planning materials may be reviewed by TCEQ Regional Office staff in Waco.
	If approved, an Authorization to Construct will be issued. The Authorization to
	Construct is valid for one year from date of issuance.
	The Installer must notify the Hamilton County Inspector at least five working days
	before the date of the construction inspection. At that time an Inspector will be assigned to inspect the installation. All evacuations must be left open until the inspection has been completed.
	inspection has been completed.

ALL FEES ARE NON-REFUNDABLE AND MUST BE PAID BY CASH, CHECK, MONEY ORDER, OR CREDIT CARD (a small convenience fee will apply).

PAYMENTS SHOULD BE MADE PAYABLE TO HAMILTON COUNTY CLERK.

#### **New Installation**

### **HAMILTON COUNTY**

Office	lise	Only	
O COLOR	~~	Office	ľ

Modification	APPLICATION FOR ON-SITE SEWAGE FACILITY
	09-Waco (TCEQ Regional Number)
	COLINITY OF INICTALLATIONS LIABATETONS

Modification			E SEWAGE FACILI	TY	
		co (TCEQ Regio	nal Number) ON – HAMILTON	<del> </del>	
<ol> <li>Property Owner's</li> </ol>	Name(Last)		(Firs	+1	(Middle)
	(EdSt)		(FII3		(Middle)
2. Current Mailing A	.ddress				
3. Daytime Telephor	ne No				
4. 9-1-1 Site Address	s:				
	: Sec		Lot	Plat Date	
Other than Subdiv	vision: Acreage	-	Survey Name		
6. Physical Location	/Directions to Site		Abstract Name/No.		
7. Source of Water	Private Well	Public'	Water Supply		
				(Name of Supplier)	
8. Single Family Resi	dence No. of	Bedrooms	Living Ar	ea (sq.ft.)	
9. Commercial/Insti	tutional (including m	ulti-family reside	nces) Type		
	/Occupants/Units			er Week	
10. Site Evaluator			License N	o	
11. Designer			License No	o. (PE/RS)	
12. Installer			License No	),	
					······
				wledge. Authorizatio	n is herehy
•			•	ove-described proper	•
purpose of soil/site	evaluation and invest	tigation of an on-	site sewage facility.		
13.			Date		

IF AVAILABLE, ATTACH A COPY OF THE SURVEY PLAT FOR YOUR PROPERTY UPON WHICH THIS SYSTEM IS TO BE INSTALLED. Individuals are entitled to request, review or correct their personal information that the agency gathers on its forms. You may contact us at 254/386-1203.

(Signature of Owner)

### HAMILTON COUNTY

### ON-SITE SEWAGE FACILITY TECHNICAL INFORMATION FOR PERMIT

APPLICATION # \_\_\_\_\_ DO NOT BEGIN CONSTRUCTION PRIOR TO APPLICATION APPROVAL.

)wner'	's Name:	County:
nstalla Pr		If yes, professional design attached: ☐ Yes ☐ No
[,	SEWER (House drain):	
	Type and Size of Pipe:	Slope of Sewer Pipe to Tank:
II.	DAILY WASTEWATER USAGE RATE: Q=	(gallons/day)
	Water Saving Devices; ☐ Yes ☐ No	
III.	TREATMENT UNIT:     Septic Tank   Aer	obic Unit
	A. • Tank Dimensions:	<ul> <li>Liquid Depth (Bottom of Tank to Outlet):</li> </ul>
	Size Required:	Size Proposed:
	Manufacturer:	Material/Model #:
	• Pretreatment Tank: 🛭 Yes Size :	(gal) □ No □ N/A
	B. Other:	
	(Please attach description)	
IV.	DISPOSAL SYSTEM: Type:	
	Area Required:	Area Proposed:
٧.	ADDITIONAL INFORMATION:	
· .	NOTE-THIS INFORMATION MUST BE ATTACK	HED FOR REVIEW TO BE COMPLETED.
	A. Soil/Site Evaluation	
	B. Planning Materials .	•
	The attached checklist details those items t	hat must be addressed under each of these categories.
	Designer's Signature	License No. Date

INCOMPLETE FORMS WILL NOT BE ACCEPTED

### HAMILTON COUNTY ON-SITE PROGRAM

### SITE EVALUATION AND PLANNING MATERIALS FOR AN ON-SITE SEWAGE FACILITY

The following information must be submitted with the design package for review by Hamilton County. Failure to include or address all of the following items may result in approval delays.

Site Evaluator In	nformation
Name	
Address	
City, State, Zip	<u> </u>
Phone No.	٠,
License No.	<u> </u>
	Address City, State, Zip Phone No.

Additional Information:

Application No.\_\_\_\_\_

SITE EVALUATION: A minimum of two soil borings or backhoe pits must be excavated at opposite ends of the proposed disposal area. The borings or pits must be excavated to a depth of two feet below the proposed excavation, or to a restrictive horizon, whichever is less. The boring or pit locations must be indicated. This report shall include a groundwater evaluation, a surface drainage analysis, and all applicable minimum separation requirements.

PLANNING MATERIALS: The proposed treatment and disposal system shall be prepared based on the site evaluation. The submittal requirements must include the following details.

- ☐ A scale drawing of the on-site sewage facility, showing all structures served.
- Submittals prepared by a professional engineer or professional sanitarian must be sealed, dated and signed.
- ☐ Proposed designs must comply with all separation distances identified in Table X.
- ☐ A sectional view of the tanks, including pump tanks, and excavations must be submitted.

	Soil Boring/Backhoe Pit Number									
Depth (Feet)	Soil Class		Restrictive Horizon	Groundwater	Topography	Flood Hazard				
Bopan (1. 554)						·				
0										
1										
2	,	,	,							
3				- ,						
4				;						
5										
6			3							
7			,		].					

÷			noe Pit Number			, , , , , , , , , , , , , , , , , , ,
Depth (Feet)	Soil Class			Groundwater	Topography	Flood Hazaro
	,					·
•	ļ					
<u> </u>						•
· · · · · · · · · · · · · · · · · · ·		,				,
·						
			·	.,		
5 <u> </u>						
ō						
7	·					
		-	# · · ·			
,	•	,		, ,		
	<u> </u>					
I certify that t	the results of	this report are base	ed on my site observation	s and are accurate	e to the best of r	ny ability.

SKETCHINEEDSTOISHOWILOGATHON OF SOTESAMBLEIPOINTS OF SOTEANABY SIS

# HAMILTON COUNTY ON-SITE SEWAGE FACILITY PROGRAM INSTALLATION INVESTIGATION REPORT STANDARD SYSTEM

Page 1 of 2

,					vate:		
Property Owner			Permi	t Number			
Region Number			1	ler Name & se Number	•		
Investigator			}	valuator Name ense Number		٠.	
:			a Lice	ilise limitinei	Δ11 "Ν	o" Answers Rec	mire Comment
	COND.	ITIONS & SET BAC	ע חזכדו	NCES	741 1	. Y	. N
I. SITE AND SOIL Site and Soil Conditions Cor	COND.	with Submitted Planning A	Materials	628	5,30 & §285.31		
Setback Distances Meet Mir			5285.3	30(b)(4), §285.31(d)			1.
				(-), .,,		Y	N
II. SEWER PIPE Proper Type Pipe from Stru	dure to	185.32(a)(1-7) Disposal System (Cast Iro	ns. Ductile i	Tron. Sch. 40. SDR 26)	\$285.32(a)(1)	<u> </u>	
Slope from the Sewer to the	o Tank a	bisposar system (case in	orry o deane .		§285.32(a)(3)		
Two Way Sanitary-Type Cle		Properly Installed (Add. C	C/O Every 5	0' &/or 90° bends)	§285.32(a)(5)		
I wo way sallicary-Type Cit	Odc 1	Topcity induited (Harris	-,				
III. SEPTIC TANK	<u> </u>	85.32(b)(1)(A)-(F)	) and 28	5.91(2)		· Y ·	Z
Septic tank(s) meet minimus and outlet devices; baffles design and construction mark Volume Required	and corb	ec tanks: inspection and (	ciean-out po idards; rise	orts; rs and installation of ta Tank Volume Instal	iea .		Gallons
Material of tank installed	j			Manufacturer of tar	ık installed		
Inlet Flow-line Greater tha		"T" Provided on Inlet and	i Outlet	§285	3.32(b)(1)(B)	-	
If Single Tank, are 2 Comp	artment	s Provided with Baffie	·····	§285	5,32(b)(1)(C)(i)		
Inspection/Clean-Out Port Risers Provided on Tanks &	& Buried Gr	reater than 12" Sealed an	d Capped	§285	.32(b)(1)(D)		
Tank(s) Watertight				· §285	i.32(b)(1)(E)		
Tank(s) Clearly Marked				§285	5.32(b)(1)(E)(iv 5.32(b)(1)(A) &	)	· · · · · · · · · · · · · · · · · · ·
Outlet Liquid Penetration 2	25% to 5	i0% Total Liquid depth at	least 30"		.32(b)(1)(C)(i)		
Greater that ½ of Total Vo	olume in	Primary Tank or Compart	ment (1/3	for Tank 3) §285	.32(b)(1)(C)(ii)	,	<u> </u>
Minimum 12 inch drop fro					;285,32(b)(1)(F	<u>j</u>	
IV. DRAINFIELD		CRITERIA FOR	EFFLUE	NT DISPOSAL SYS	STEM §285.	33(b)	
Absorptive Drain-line	03	3″ PVC □ 4″ PVC □	N/A	0	8" or 🗆 10"	Gravel-less F	ipe □ N/A
				1			

Manufacturer:

Leaching Chambers

#### HAMILTON COUNTY ON-SITE SEWAGE FACILITY PROGRAM INSTALLATION INVESTIGATION REPORT STANDARD SYSTEM

Page 2 of 2

Property Owner	Permit Number
IV. DRAINFIELD (Continued)	
Area Required:	rea Installed: andard §285,33(b)(1)(A)(vii)
Gravel-less §285.33(c)(1)(C) Gravel-less §285.33(c)(1)(C)	ravel-less §285.33(c)(1)(C)
Leaching Chambers §285.33(c)(2)(A)(i) or (ii)	eaching Chambers §285.33(c)(2)(A)(i) or (ii)
Excavation Width §285.33(b)(1)(A)(iv) Excavation Width	xcavation Depth §285.33(b)(1)(A)(i) & (ii)
Excavation Separation §285.33(b)(1)(A)(iii) M	lultiple Excavations §285,33(b)(1)(A)(iii)
Depth of Porous Media §285.33(b)(1)(D)	ype of Porous Media §285.33(b)(1)(B)(i-ii)
	. Y N
Level to within 1 Inch per 25 feet §285,33	3(b)(1)(A)(v) & §285.33(c)(1)(B)
Chambers - Open End Plates w/Splash Plate, Inspection Port & Closed End Plates in Place (per manufacturers spec.).	§285.33(b)(1)(D)
Pipe and Gravel – Geotextile Fabric in Place	§285.33(b)(1)(E)
Gravel-less Pipe — Couplings, Endcaps, Off-Set Connectors, and Filter Wra	p in Place §285,33(c)(1)(B)
Gravel-less Pipe – Inspection Port in Place	§285,33(c)(1)(B)
COMMENTS:	
·	
Signature of County Inspector	Date
Inspector's-License Number	

# HAMILTON COUNTY ON-SITE SEWAGE FACILITY PROGRAM INSTALLATION INVESTIGATION REPORT SURFACE SPRAY APPLICATION

Page 1 of 2

		;	DATE _			
Property Owner			Permit Number			
Region Number			Installer Name &		•	•
			License Number			
Investigator			Site Evaluator Name			
2111 0000			& License Number			
Designer Name & License (P.E. or R.S.)	:					·
				All "No" Al	nswers Require	
I. SITE AND SOIL CON	DITIONS &	SET BACK DI	STANCES		<u> </u>	<u>N</u> -
Site and Soil Conditions Consisten	it with Submitter	d Planning Materials	5 3,285,30 6			
Setback Distances Meet Minimum			5.30(b)(4), §285.31(d) & §28	22.91(10).	Y	N.
II. SEWER PIPE §	285.32(a)(	1-7)	HIS TOSS SON 40 SDR 76) 5285	37(a)(1)	1	14-
Proper Type Pipe from Structure	to Disposal System	em (Cast Iron, Duci	5285	,32(a)(3)		-
Slope from the Sewer to the Tank Two Way Sanitary-Type Clean-ou	dat least 1/0 mil	TI PEI FOOL Med (Add. C/O Ever		.32(a)(5)		
Two way Santtary-Type Clear-ou	r Property assess	ited (riddi of a	7			
III. PRETREATMENT (L	iquid Depth	Not Less Thai	n 30") §285.32(b)(1)(A)	)-(G)	Y	N
			§285,32(			
Is Pretreatment installed if requir	SOL LOTA MAN	Oved Harm				
Installed on 4" Sand Cushion/Pro	per Backfill User	<u>d</u>	§285 <b>.</b> 32(	b)(1)(F)		
Grease interceptors if required fo	ır commercial		§285.34(	g) .		
			§285.34(a	a) _		
Approved effluent filter in place i Tank Volume Required	r required i	Gallon	Tank Volume Installed			Gallon
Tank Material (Type)			Manufacturer			
rather face for (1/p=)	1				т т	
IV. AEROBIC TREATME	TINU TNE	** .			Y	N
Is Aerobic Unit Installed Accordi		Guidelines?	§285.32(	c)(1)		
Chlorinator Properly Installed wi			§285.33(	c)(3)(B)	_	
			§285.7(d	1(2)		
Maintenance Tag in Place .		***	925547(4	<u>/                                    </u>	<u> </u>	1
Unit Size Required		gpd	Unit Size Installed			gpd
Manufacturer of Aerobic Treatm	ent Unit:		- The state of the			· · · · · · · · · · · · · · · · · · ·
Unit Model Number		Aerator Model Nur	nber	·		•

NOTE: COPY OF MAINTENANCE CONTRACT MUST BE FILED BEFORE
APPROVAL IS GRANTED

Unit Serial Number

# HAMILTON COUNTY ON-SITE SEWAGE FACILITY PROGRAM INSTALLATION INVESTIGATION REPORT SURFACE SPRAY APPLICATION

Page 2 of 2

Property Owner			Permit N	lumber		•	•
					All "No	" Answers Rec	
V. PUMP TANK			,,,,,,,,			Y	N
Is the Pump Tank an approved or materials & construction?	oncrete tank or other	acceptable		§285.32(b)(1)( §285.34(b)	E)(l)		
Sampling Port Provided in the Tr	eated Effluent Une		· .	§285,33(d)(2)(	(G)(lv)		
Check Valve and/or Anti-Siphon I		Reguired		§285,34(b)(1)		•	•
Audible and Visual High Water A	arm Installed on Sep	arate Circuit Fro	om Pump	§285.34(b)(1)			
Full Day + 1/3 Day Flow When F and Irrigation Timers installed if	moerty Line Sethacks	s are < 20′		§285,34(b)(2) §285,33(d)(2)(	(I)(iii)(I)		
Elec. Connections in Approved Ju	Inction Boxes/Wiring.	Buried		§285.34(c)			
Tank Volume Required		Gallo		olume Installed			Gallor
Tank Material (Type)			Manufa				
Pump Model Number			Pump !	Serial Number	·		
Type/Size of Pump Installed		Hp New		` Used		Unknowi	7
	* coor 55(4)/	1) 8 (2)				Y	N
VI. APPLICATION ARE		<u> </u>		§285.33(d)(2)	(G)(I)		
Low Angle Nozzles Used, Pressu	re is as required						
Acceptable area, nothing within	10 ft. of sprinkler he	ads?		§285,33(d)(2)	(A)		
The landscape plan is as design	ed .			§285.33(d)(2)			
Distribution Pipe, fitting, sprinkl	er heads & valve cove	ers color coded	purple?	§285.33(d)(2)	(G)(i-v)		
Minimum Area Required		. (sq f	ft) Area Ir	istalled	<u> </u>	· .	(sq fl
COMMENTS:							
, ,		,		,		, ,	•
				·		•	
					,		
Signature of County In	spector	<del></del>	Date	9			
Inspector's License No	ımber		+				
Installation Investigation Re	eport-Surface Spray	/ Application		•			

### AFFIDAVIT TO THE PUBLIC

## THE COUNTY OF HAMILTON STATE OF TEXAS

Before me, the undersigned authority, on this day persons	tor upported	ates that he/she is the owner of record
name of homeowner (s)) who, after being by me duly sw of that certain tract or parcel of land and being situated in	Hamilton County	y, Texas and being more particularly
lescribed as follows:		
· · · · · · · · · · · · · · · · · · ·	ים מת מת המעריים. מר מת המעריים	· · · · · · · · · · · · · · · · · · ·
**************************************	YION OF PROFI	ERII.
The undersigned finther states that he/she will, upon sale or transfer permit to operate such SURFACE APPLICATION SYSTEM to buy accordance with Chapter 287.7 (f) of the Texas Administrative Cod	zer of fransteree. Any	A DITACL OF ITSTITCE IS HELCO, HOLLING THE THE
<ol> <li>The owner of each surface application system shall continu company and shall submit a copy of the contract to the Tex prior to expiration of the previous contract.</li> </ol>	iously maintain a sign as Commission on E	ned written contract with a valid maintenance nvironmental Quality (TCEQ) at least 30 day
<ol> <li>If the property owner or Maintenance Company desires to maintenance company and shall notify, in writing, the TNI</li> </ol>	discontinue the provi RCC at least 30 days p	sions of the maintenance contract, the prior to the date service will cease.
<ol> <li>If a maintenance company discontinues business, the prop- with another approved maintenance company and provide copy of the newly signed maintenance contract.</li> </ol>	me 1 exas Commission	DII OII ETIANOMITCHISI GRANDA (1700) 11277 1
For more information concerning the rules and regulations on surface application o TECQ, P.O. Box 13087 Austin, TX 78711-3087	n-site wastewater treatmen	
Witness my/our hand(s) on this theday of		20
•	• • •	
		· · .
State of Texas		
County of Hamilton		•
This instrument was acknowledged before me on the	day, of	20,
by		
		Notary Public, State of Texas
•	•	
State of Texas County of Hamilton		
County of Hamilton  This instrument was acknowledged before me on the	day of	
County of Hamilton	day of	20, Notary Public, State of Texas